## WHAT IS CLAIMED IS:

1. A method of dyeing a polymer, the method comprising dispersing a nanomaterial into the polymer to form a polymer nanocomposite, and dyeing the polymer nanocomposite with a dye.

5

- The method of claim 1, wherein the polymer is a polyvinyl, epoxy resin, polyolefin, polyamide, aromatic polyamide, polyimide, polyamhydride, acrylic polymer, polyester, polyimine, polysaccharide, polypeptide, polylactone, or a random or block copolymer thereof.
  - 3. The method of claim 1, wherein the polymer is a polyolefin.

10

10

- 4. The method of claim 3, wherein the polyolefin is polypropylene.
  - 5. The method of claim 1, wherein the nanomaterial is nanoclay, nanosilica, metal oxide, zeolite, or nanoparticles of a polymer.
  - 6. The method of claim 1, wherein a nanomaterial is pretreated with a surfactant for improved compatibility with the polymer.

15

- 7. The method of claim 1, wherein a weight ratio of the nanomaterial to the polymer is in the range of 0.01-20%.
  - 8. The method of claim 1, wherein the weight ratio of the nanomaterial to the polymer is in the range of 0.5-5%.
- 9. The method of claim 1, wherein the nanomaterial is intercalated or exfoliated in the polymer.

- 10. A dyed polymer comprising a dye, a polymer, and a nanomaterial, wherein the nanomaterial is dispersed in the polymer to form a polymer nanocomposite, and the dye is linked to the nanomaterial.
- 11. The dyed polymer of claim 10, wherein the polymer is a polyvinyl, epoxy resin, polyolefin, polyamide, aromatic polyamide, polyimide, polyamhydride, acrylic polymer, polyester, polyimine, polysaccharide, polypeptide, polylactone, or a random or block copolymer thereof.
- 12. The dyed polymer of claim 10, wherein the polymer is a polyolefin.

5

10

20

20

- 13. The dyed polymer of claim 12, wherein the polymer is polypropylene.
- 14. The dyed polymer of claim 10, wherein the nanomaterial is nanoclay, nanosilica, metal oxide, zeolite, or nanoparticles of a polymer.
  - 15. The dyed polymer of claim 14, wherein the nanomaterial is pretreated with a surfactant for improved compatibility with the polymer.
- 16. The dyed polymer of claim 10, wherein the weight ratio of the nanomaterial to the polymer is in the range of 0.01-20%.
  - 17. The dyed polymer of claim 10, wherein the weight ratio of the nanomaterial to the polymer is in the range of 0.5-5%.
  - 18. The dyed polymer of claim 10, wherein the nanomaterial is intercalated or exfoliated in the polymer.
  - 19. An article made of the dyed polymer of claim 10.